

ODP – ENCAPSULATED MULTIGUARD®



230/460 & 460 VOLTS • 3-PHASE
FOOT MOUNT, C-FACE & DOUBLE C-FACE/DOUBLE SHAFT
15 TO 250 HP

Features:

- Encapsulated Windings
- NEMA Design B performance
- Durable steel frame, cast iron end brackets
- Premium Class F Plus Insulation System
- Continuous Duty, 40°C ambient
- Reduced voltage start capability –
284T-405T: Y-delta start on either voltage
444T-445T: Y-delta start and part-winding start
- Warranty: 42 months from date of manufacture or 36 months from date of installation, whichever period expires first.
- Made in U.S.A.

Applications:

Multiguard motors utilize an ODP enclosure with a winding protection system unique to the motor industry. The windings are impregnated and encapsulated in a thermosetting, specially formulated polyester based resin using a high pressure injection-molding process. When compared to a standard ODP and in some cases TEFC, it performs better in applications involving moisture, vibration, dust and some chemical action.



Stator/frame assembly pictured – end brackets removed to show encapsulation.

FOOT MOUNT

HP	SYN RPM	Frame	FL Nom Eff (%)	SF	Volts	Model Number	Product Number	Notes (see page 306)	Approx Shpg Wght (lbs)	List Price	Mult Sym
15	1200	284T	86.5	1.00	230/460	MD6S15T61	LM03614		280	\$2696	LT-1A
	1200	284TS	86.5	1.00	230/460	MD6S15TS61	LM10636		280	2696	LT-1A
20	1200	286T	84.0	1.00	230/460	MD6S20T61	LM03631		328	2977	LT-1A
	1200	286TS	84.0	1.00	230/460	MD6S20TS61	LM10637		328	2976	LT-1A
25	1800	284T	87.5	1.00	230/460	MD4S25T61	LM03618		296	2649	LT-1A
	1800	284TS	87.5	1.00	230/460	MD4S25TS61	LM10638		296	2649	LT-1A
	1200	324T	89.5	1.00	230/460	MD6S25T61	LM03665		422	3910	LT-1A
	1200	324TS	89.5	1.00	230/460	MD6S25TS61	LM10639		422	3910	LT-1A
30	3600	284T	82.5	1.00	230/460	MD2S30T61	LM03628		306	3277	LT-1A
	3600	284TS	82.5	1.00	230/460	MD2S30TS61	LM03627		306	3277	LT-1A
	1800	286T	87.5	1.00	230/460	MD4S30T61	LM03636		334	2901	LT-1A
	1800	286TS	87.5	1.00	230/460	MD4S30TS61	LM03637		334	2901	LT-1A
	1200	326T	89.5	1.00	230/460	MD6S30T61	LM03865		482	4283	LT-1A
	1200	326TS	89.5	1.00	230/460	MD6S30TS61	LM10640		482	4283	LT-1A
40	3600	286T	84.0	1.00	230/460	MD2S40T61	LM03651		350	3780	LT-1A
	3600	286TS	84.0	1.00	230/460	MD2S40TS61	LM03650		350	3780	LT-1A
	1800	324T	90.2	1.00	230/460	MD4S40T61	LM03669		420	3793	LT-1A
	1800	324TS	90.2	1.00	230/460	MD4S40TS61	LM03670		420	3793	LT-1A
	1200	364T	91.7	1.00	230/460	MD6S40T61	LM03703		655	7804	LT-1A
	1200	364TS	91.7	1.00	230/460	MD6S40TS61	LM10641		655	7804	LT-1A
50	3600	324T	86.5	1.00	230/460	MD2S50T61	LM03682		425	4539	LT-1A
	3600	324TS	86.5	1.00	230/460	MD2S50TS61	LM03681		425	4539	LT-1A
	1800	326T	91.7	1.00	230/460	MD4S50T61	LM03683		476	4031	LT-1A
	1800	326TS	91.7	1.00	230/460	MD4S50TS61	LM03684		476	4031	LT-1A
	1200	365T	91.7	1.00	230/460	MD6S50T61	LM03720		690	6097	LT-1A
	1200	365TS	91.7	1.00	230/460	MD6S50TS61	LM10642		690	6097	LT-1A
60	3600	326T	87.5	1.00	230/460	MD2S60T61	LM03692		484	5243	LT-1A
	3600	326TS	87.5	1.00	230/460	MD2S60TS61	LM03691		484	5243	LT-1A
	1800	364T	92.4	1.00	230/460	MD4S60T61	LM03709		627	5479	LT-1A
	1800	364TS	92.4	1.00	230/460	MD4S60TS61	LM03708		627	5479	LT-1A
	1200	404T	92.4	1.00	230/460	MD6S60T61	LM03785		855	8510	LT-1A
	1200	404TS	92.4	1.00	230/460	MD6S60TS61	LM10643		855	8510	LT-1A

Prices and data subject to change without notice.

Product numbers in red are STOCK items.



ODP - ENCAPSULATED MULTIGUARD®

230/460 & 460 VOLTS • 3-PHASE
FOOT MOUNT, C-FACE & DOUBLE C-FACE/DOUBLE SHAFT
15 TO 250 HP

FOOT MOUNT (cont'd)

HP	SYN RPM	Frame	FL Nom Eff (%)	SF	Volts	Model Number	Product Number	Notes (see page 306)	Approx Shpg Wght (lbs)	List Price	Mult Sym
75	3600	364T	88.5	1.00	230/460	MD2S75T61	LM03719		644	\$7989	LT-1A
	3600	364TS	88.5	1.00	230/460	MD2S75TS61	LM03718		644	7989	LT-1A
	1800	365T	91.7	1.00	230/460	MD4S75T61	LM03729		697	5821	LT-1A
	1800	365TS	91.7	1.00	230/460	MD4S75TS61	LM03728		697	5821	LT-1A
	1200	405T	92.4	1.00	230/460	MD6S75T61	LM03799		948	8628	LT-1A
	1200	405TS	92.4	1.00	230/460	MD6S75TS61	LM03800		948	8628	LT-1A
100	3600	365T	88.5	1.00	230/460	MD2S100T61	LM03740		712	7521	LT-1A
	3600	365TS	88.5	1.00	230/460	MD2S100TS61	LM03739		712	7521	LT-1A
	1800	404T	93.0	1.00	230/460	MD4S100T61	LM03791		865	7749	LT-1A
	1800	404TS	93.0	1.00	230/460	MD4S100TS61	LM03790		865	7749	LT-1A
	1200	444T	94.1	1.00	460	MD6S100T64PY	LM03752		1,213	11747	LT-1A
	1200	444TS	94.1	1.00	460	MD6S100TS64PY	LM03753		1,213	11747	LT-1A
125	3600	404T	89.5	1.00	230/460	MD2S125T61	LM10644		875	10739	LT-1A
	3600	404TS	89.5	1.00	230/460	MD2S125TS61	LM03797		875	10739	LT-1A
	1800	405T	93.0	1.00	230/460	MD4S125T61	LM03809		972	8798	LT-1A
	1800	405TS	93.0	1.00	230/460	MD4S125TS61	LM03808		972	8798	LT-1A
	1200	445T	94.1	1.00	460	MD6S125T64PY	LM03768		1,377	13719	LT-1A
	1200	445TS	94.1	1.00	460	MD6S125TS64PY	LM10645		1,377	13719	LT-1A
150	3600	405T	89.5	1.00	230/460	MD2S150T61	LM03816		978	10803	LT-1A
	3600	405TS	89.5	1.00	230/460	MD2S150TS61	LM03815		978	10803	LT-1A
	1800	444T	93.6	1.00	460	MD4S150T64PY	LM03761		1,230	11615	LT-1A
	1800	444TS	93.6	1.00	460	MD4S150TS64PY	LM03760		1,230	11615	LT-1A
200	1800	445T	94.5	1.00	460	MD4S200T64PY	LM03773		1,440	14174	LT-1A
	1800	445TS	94.5	1.00	460	MD4S200TS64PY	LM03772		1,440	14174	LT-1A
250	1800	445T	93.6	1.00	460	MD4S250T64PY	LM03780		1,500	14815	LT-1A
	1800	445TS	93.6	1.00	460	MD4S250TS64PY	LM03779		1,500	14815	LT-1A

C-FACE WITH FEET

HP	SYN RPM	Frame	FL Nom Eff (%)	SF	Volts	Model Number	Product Number	Notes (see page 306)	Approx Shpg Wght (lbs)	List Price	Mult Sym
15	1200	284TC	86.5	1.00	230/460	MD6S15TC61	LM03616		287	\$2862	LT-1A
	1200	284TSC	86.5	1.00	230/460	MD6S15TSC61	LM03615		287	2862	LT-1A
20	1200	286TC	84.0	1.00	230/460	MD6S20TC61	LM03633		335	3141	LT-1A
	1200	286TSC	84.0	1.00	230/460	MD6S20TSC61	LM03632		335	3141	LT-1A
25	1800	284TC	87.5	1.00	230/460	MD4S25TC61	LM03623		303	2802	LT-1A
	1800	284TSC	87.5	1.00	230/460	MD4S25TSC61	LM03619		303	2802	LT-1A
	1200	324TC	89.5	1.00	230/460	MD6S25TC61	LM03666		432	4187	LT-1A
30	1800	286TC	87.5	1.00	230/460	MD4S30TC61	LM03643		343	2845	LT-1A
	1800	286TSC	87.5	1.00	230/460	MD4S30TSC61	LM03639		343	2845	LT-1A
	1200	326TC	89.5	1.00	230/460	SE6S30TC61	LM20488		482	4559	LT-1A
40	1800	324TC	90.2	1.00	230/460	MD4S40TC61	LM03673		439	4070	LT-1A
	1800	324TSC	90.2	1.00	230/460	MD4S40TSC61	LM03671		439	4070	LT-1A
	1200	364TC	91.7	1.00	230/460	MD6S40TC61	LM03705		667	6504	LT-1A
50	1800	326TC	91.7	1.00	230/460	MD4S50TC61	LM03686		486	4307	LT-1A
	1800	326TSC	91.7	1.00	230/460	MD4S50TSC61	LM03685		486	4307	LT-1A
	1200	365TC	91.7	1.00	230/460	MD6S50TC61	LM03724		702	7094	LT-1A
60	1800	364TC	92.4	1.00	230/460	MD4S60TC61	LM03711		639	6284	LT-1A
	1800	364TSC	92.4	1.00	230/460	MD4S60TSC61	LM03713		639	6284	LT-1A
75	1800	365TC	91.7	1.00	230/460	MD4S75TC61	LM03730		709	7048	LT-1A
	1800	365TSC	91.7	1.00	230/460	MD4S75TSC61	LM03733		709	7048	LT-1A
	1200	405TC	92.4	1.00	230/460	MD6S75TC61	LM03804		964	9156	LT-1A
100	1800	404TC	93.0	1.00	230/460	MD4S100TC61	LM03792		881	8278	LT-1A
	1800	404TSC	93.0	1.00	230/460	MD4S100TSC61	LM03794		881	8274	LT-1A
	1200	444TSC	94.1	1.00	460	MD6S100TSC64PY	LM03755		1234	12400	LT-1A

Prices and data subject to change without notice.

Product numbers in red are STOCK items.

ODP - ENCAPSULATED MULTIGUARD®



**230/460 & 460 VOLTS • 3-PHASE
FOOT MOUNT, C-FACE & DOUBLE C-FACE/DOUBLE SHAFT
15 TO 250 HP**

C-FACE WITH FEET (cont'd)

HP	SYN RPM	Frame	FL Nom Eff (%)	SF	Volts	Model Number	Product Number	Notes (see page 306)	Approx Shpg Wght (lbs)	List Price	Mult Sym
125	1800	405TC	93.0	1.00	230/460	MD4S125TC61	LM03810		988	\$9325	LT-1A
	1800	405TSC	93.0	1.00	230/460	MD4S125TSC61	LM03812		988	9325	LT-1A
	1200	445TSC	94.1	1.00	460	MD6S125TSC64PY	LM03770		1398	14371	LT-1A
150	1800	444TSC	93.6	1.00	460	MD4S150TSC64PY	LM03763		1251	12267	LT-1A
200	1800	445TSC	94.5	1.00	460	MD4S200TSC64PY	LM03776		1435	14826	LT-1A
250	1800	445TSC	93.6	1.00	460	SE4S250TSC64PY	LM16564		1600	15467	LT-1A

DOUBLE C-FACE/DOUBLE SHAFT

HP	SYN RPM	Frame	FL Nom Eff (%)	SF	Volts	Model Number	Product Number	Notes (see page 306)	Approx Shpg Wght (lbs)	List Price	Mult Sym
15	1200	284TC	86.5	1.00	230/460	MD6S15TCTMC61	LM10725		295	\$3234	LT-1A
	1200	284TSC	86.5	1.00	230/460	MD6S15TSC61	LM10726		295	3234	LT-1A
20	1200	286TC	84.0	1.00	230/460	MD6S20TCTMC61	LM10727		342	3513	LT-1A
	1200	286TSC	84.0	1.00	230/460	MD6S20TSC61	LM03634		342	3513	LT-1A
25	1800	284TC	87.5	1.00	230/460	MD4S25TCTMC61	LM03624		310	3173	LT-1A
	1800	284TSC	87.5	1.00	230/460	MD4S25TSC61	LM03625		310	3173	LT-1A
	1200	324TC	89.5	1.00	230/460	MD6S25TCTMC61	LM03667		442	4516	LT-1A
	1200	324TSC	89.5	1.00	230/460	MD6S25TSC61	LM03668		442	4516	LT-1A
30	1800	286TC	87.5	1.00	230/460	MD4S30TCTMC61	LM03644		348	3439	LT-1A
	1800	286TSC	87.5	1.00	230/460	MD4S30TSC61	LM03645		348	3439	LT-1A
	1200	326TC	89.5	1.00	230/460	MD6S30TCTMC61	LM10730		502	4891	LT-1A
	1200	326TSC	89.5	1.00	230/460	MD6S30TSC61	LM03866		502	4891	LT-1A
40	1800	324TC	90.2	1.00	230/460	MD4S40TCTMC61	LM03674		440	4399	LT-1A
	1800	324TSC	90.2	1.00	230/460	MD4S40TSC61	LM03675		440	4398	LT-1A
	1200	364TC	91.7	1.00	230/460	MD6S40TCTMC61	LM03706		679	6183	LT-1A
	1200	364TSC	91.7	1.00	230/460	MD6S40TSC61	LM03707		679	6183	LT-1A
50	1800	326TC	91.7	1.00	230/460	MD4S50TCTMC61	LM03687		496	4637	LT-1A
	1800	326TSC	91.7	1.00	230/460	MD4S50TSC61Y	LM27884		496	4637	LT-1A
	1200	365TC	91.7	1.00	230/460	MD6S50TCTMC61	LM03725		714	7938	LT-1A
	1200	365TSC	91.7	1.00	230/460	MD6S50TSC61	LM03726		714	7938	LT-1A
60	1800	364TC	92.4	1.00	230/460	MD4S60TCTMC61	LM03714		651	6394	LT-1A
	1800	364TSC	92.4	1.00	230/460	MD4S60TSC61	LM03715		651	6395	LT-1A
	1200	404TC	92.4	1.00	230/460	MD6S60TCTMC61	LM03787		887	9484	LT-1A
	1200	404TSC	92.4	1.00	230/460	MD6S60TSC61	LM03788		887	9485	LT-1A
75	1800	365TC	91.7	1.00	230/460	MD4S75TCTMC61	LM03735		721	6737	LT-1A
	1800	365TSC	91.7	1.00	230/460	MD4S75TSC61	LM03736		721	6737	LT-1A
	1200	405TC	92.4	1.00	230/460	MD6S75TCTMC61	LM03805		980	9602	LT-1A
	1200	405TSC	92.4	1.00	230/460	MD6S75TSC61	LM03806		980	9602	LT-1A
100	1800	404TC	93.0	1.00	230/460	MD4S100TCTMC61	LM10741		897	8722	LT-1A
	1800	404TSC	93.0	1.00	230/460	MD4S100TSC61	LM03795		897	8722	LT-1A
	1200	444TC	94.1	1.00	460	MD6S100TCTMC64PY	LM03757		1234	13109	LT-1A
	1200	444TSC	94.1	1.00	460	MD6S100TSC64PY	LM03758		1234	13110	LT-1A
125	1800	405TC	93.0	1.00	230/460	SE4S125TCTMC61	LM10744		1004	9771	LT-1A
	1800	405TSC	93.0	1.00	230/460	MD4S125TSC61	LM03813		1004	9772	LT-1A
	1200	445TC	94.1	1.00	460	MD6S125TCTMC64PY	LM10745		1419	15081	LT-1A
	1200	445TSC	94.1	1.00	460	MD6S125TSC64PY	LM03771		1419	15081	LT-1A
150	1800	444TC	93.6	1.00	460	MD4S150TCTMC64PY	LM10748		1272	12977	LT-1A
	1800	444TSC	93.6	1.00	460	MD4S150TSC64PY	LM03764		1272	12977	LT-1A
200	1800	445TC	94.5	1.00	460	MD4S200TCTMC64PY	LM10749		1482	15536	LT-1A
	1800	445TSC	94.5	1.00	460	MD4S200TSC64PY	LM03777		1482	15536	LT-1A
250	1800	445TC	93.6	1.00	460	MD4S250TCTMC64PY	LM10750		1600	16178	LT-1A
	1800	445TSC	93.6	1.00	460	MD4S250TSC64PY	LM10751		1600	16178	LT-1A

Prices and data subject to change without notice.

Product numbers in red are STOCK items.



ODP & TEFC 200/400 VOLT MOTORS

3-PHASE FOOT MOUNT & C-FACE 1/3 TO 125 HP

Features:

- Perfect choice for 208 V systems
- Premium Insulation Systems
56 frames: Class B
143T-445T frames: Class F
- Continuous Duty
- Y-delta start capability frames 284T and larger
- Warranty:
(sine-wave power & inverter power) –
48 & 56 frames: 18 months from date of manufacture and 12 months from date of installation which ever period expires first.
143T-256T frames: 30 months from date of manufacture and 24 months from date of installation which ever period expires first.
(sine-wave power) –
284T-449T frames: 42 months from date of manufacture and 36 months from date of installation which ever period expires first.
- Made in U.S.A.



Applications:

ODP: Ideally suited for use where water and dust exposure is minimal.
TEFC: Ideally suited for use where exposure to water, dust and corrosives exists.
Both for use on pumps, compressors, fans, blowers, conveyors, direct-coupled or belt driven applications.

Supporting Information:

Dimensions and Performance: contact your local sales office.

ODP • FOOT MOUNT

HP	SYN RPM	Frame	FL Nom Eff (%)	SF	Volts	Model Number	Product Number	Notes (see page 306)	Approx Shpg Wght (lbs)	List Price	Mult Sym
1/3	1800	56	67.0	1.35	200/400	SRD4S0.33T62	TBD		-	\$270	LT-1A
1/2	1800	56	70.0	1.25	200/400	SRD4S0.5T62	LM24156		17	311	LT-1A
	1200	56	74.0	1.25	200/400	SRD6S0.5T62	LM25599		-	445	LT-1A
3/4	3600	56	72.0	1.25	200/400	RD2S0.75T62	LM05332		26	298	LT-1A
	1800	56	75.5	1.25	200/400	SRD4S0.75T62	LM24163		23	332	LT-1A
	1200	56	72.0	1.15	200/400	RD6S0.75T62	LM05345		26	452	LT-1A
1	3600	56	75.5	1.25	200/400	RD2S1T62	LM05342		26	344	LT-1A
	1800	143T	77.0	1.15	200/400	SD4S1T62	LM05378		28	376	LT-1A
	1200	145T	72.0	1.15	200/400	SD6S1T62	LM05388		34	453	LT-1A
1 1/2	3600	143T	77.0	1.15	200/400	SD2S1.5T62	LM05383		28	394	LT-1A
	1800	145T	80.0	1.15	200/400	SD4S1.5T62	LM05393		35	394	LT-1A
	1200	182T	81.5	1.15	200/400	SSD6S1.5T62	TBD		-	553	LT-1A
2	3600	145T	80.0	1.15	200/400	SSD2S2T62	TBD		-	458	LT-1A
	1800	145T	84.0	1.15	200/400	SSD4S2T62	LM24147		44	403	LT-1A
	1200	184T	85.5	1.15	200/400	SSD6S2T62	TBD		-	535	LT-1A
3	3600	145T	77.0	1.15	200/400	SD2S3T62	LM05409		36	486	LT-1A
	1800	182T	84.0	1.15	200/400	SSD4S3T62	LM24212		-	459	LT-1A
	1200	213T	78.5	1.15	200/400	SD6S3T62	LM05463		99	729	LT-1A
5	3600	182T	80.0	1.15	200/400	SD2S5T62	LM05427		58	585	LT-1A
	1800	184T	85.5	1.15	200/400	SSD4S5T62	LM24218		-	530	LT-1A
	1200	215T	82.5	1.15	200/400	SD6S5T62	LM05488		115	890	LT-1A
7 1/2	3600	184T	84.5	1.15	200/400	SSD2S7.5T62	LM25470		-	671	LT-1A
	1800	213T	84.0	1.15	200/400	SSD4S7.5T62	LM24220		103	755	LT-1A
	1200	254T	88.5	1.15	200/400	SSD6S7.5T62	TBD		-	1275	LT-1A
10	3600	213T	85.5	1.15	200/400	SSD2S10T62	TBD		-	899	LT-1A
	1800	215T	87.5	1.15	200/400	SSD4S10T62	LM24215		118	890	LT-1A
	1200	256T	90.2	1.15	200/400	SSD6S10T62	TBD		-	1517	LT-1A

Prices and data subject to change without notice.

Product numbers in red are STOCK items.

ODP & TEFC 200/400 VOLT MOTORS



**3-PHASE
FOOT MOUNT & C-FACE
1/3 TO 125 HP**

ODP • FOOT MOUNT (cont'd)

HP	SYN RPM	Frame	FL Nom Eff (%)	SF	Volts	Model Number	Product Number	Notes (see page 306)	Approx Shpg Wght (lbs)	List Price	Mult Sym
15	3600	215T	86.5	1.15	200/400	SSD2S15T62	TBD		-	\$1033	LT-1A
	1800	254T	87.5	1.15	200/400	SSD4S15T62	LM24216		164	1267	LT-1A
20	3600	254T	88.5	1.15	200/400	SSD2S20T62	LM05525		-	1548	LT-1A
	1800	256T	88.5	1.15	200/400	SSD4S20T62	LM24217		197	1512	LT-1A
25	3600	256T	89.5	1.15	200/400	SSD2S25T62	LM26181		-	1747	LT-1A
	1800	284T	87.5	1.15	200/400	SD4S25T62	LM04125		278	1941	LT-1A
30	3600	284TS	82.5	1.15	200/400	SD2S30TS62	LM04136		282	2475	LT-1A
	1800	286T	87.5	1.15	200/400	SD4S30T62	LM04142		319	2442	LT-1A
40	3600	286TS	82.5	1.15	200/400	SD2S40TS62	LM04152		325	2828	LT-1A
	1800	324T	90.2	1.15	200/400	SD4S40T62	LM04278		378	2730	LT-1A
50	3600	324TS	85.5	1.15	200/400	SD2S50TS62	LM04288		410	3824	LT-1A
	1800	326T	91.7	1.15	200/400	SD4S50T62	LM04292		444	3142	LT-1A
60	3600	326TS	89.5	1.15	200/400	SD2S60TS62	LM04299		462	4153	LT-1A
	1800	364T	91.7	1.15	200/400	SD4S60T62	LM04416		575	4287	LT-1A
75	3600	364TS	88.5	1.15	200/400	SD2S75TS62	LM04421		618	5468	LT-1A
	1800	365T	93.0	1.15	200/400	SD4S75T62	LM04425		660	4483	LT-1A
100	3600	365TS	88.5	1.15	200/400	SD2S100TS62	LM04431		680	6222	LT-1A
	1800	404T	93.6	1.15	200/400	SD4S100T62	LM04604		767	5959	LT-1A
125	1800	405T	93.6	1.15	200/400	SD4S125T62	LM04705		910	6626	LT-1A

ODP • C-FACE WITH FEET

HP	SYN RPM	Frame	FL Nom Eff (%)	SF	Volts	Model Number	Product Number	Notes (see page 306)	Approx Shpg Wght (lbs)	List Price	Mult Sym
1/2	1800	56C	74.0	1.25	200/400	RD4S0.5TC62	LM05329		31	\$352	LT-1A
3/4	1800	G56C	77.0	1.25	200/400	RD4S0.75TC62	LM05339		31	376	LT-1A
1	1800	143TC	-	1.15	200/400	SSD4S1TC62	TBD		-	417	LT-1A
	1200	56HC	72.0	1.15	200/400	RD6S1TC62	LM05356		39	525	LT-1A
1 1/2	3600	143TC	77.0	1.15	200/400	SD2S1.5TC62	LM05384		33	435	LT-1A
	1800	145TC	78.5	1.15	200/400	SD4S1.5TC62	LM05394		40	435	LT-1A
2	3600	145TC	77.0	1.15	200/400	SD2S2TC62	LM05405		40	499	LT-1A
	1800	145TC	-	1.15	200/400	SSD4S2TC62	TBD		-	444	LT-1A
	1200	184TC	80.0	1.15	200/400	SD6S2TC62	LM05440		73	596	LT-1A
3	3600	145TC	-	1.15	200/400	SSD2S3TC62	TBD		-	529	LT-1A
	1800	182TC	84.0	1.15	200/400	SD4S3TC62	LM05422		67	522	LT-1A
5	3600	182TC	-	1.15	200/400	SSD2S5TC62	TBD		-	647	LT-1A
	1800	184TC	-	1.15	200/400	SSD4S5TC62	TBD		-	591	LT-1A
7 1/2	3600	184TC	81.5	1.15	200/400	SD2S7.5TC62	LM05454		76	734	LT-1A
	1800	213TC	85.5	1.15	200/400	SD4S7.5TC62	LM05471		126	827	LT-1A
10	3600	213TC	-	1.15	200/400	SSD2S10TC62	TBD		-	970	LT-1A
	1800	215TC	86.5	1.15	200/400	SD4S10TC62	LM05496		134	962	LT-1A
15	3600	215TC	-	1.15	200/400	SSD2S15TC62	TBD		-	1106	LT-1A
	1800	254TC	-	1.15	200/400	SSD4S15TC62	LM26039		-	1360	LT-1A
20	3600	254TC	-	1.15	200/400	SSD2S20TC62	TBD		-	1643	LT-1A
	1800	256TC	89.5	1.15	200/400	SD4S20TC62	LM05546		216	1607	LT-1A

Prices and data subject to change without notice.

Product numbers in red are STOCK items.



ODP & TEFC 200/400 VOLT MOTORS

3-PHASE
FOOT MOUNT & C-FACE
1/3 TO 125 HP

TEFC • FOOT MOUNT

HP	SYN RPM	Frame	FL Nom Eff (%)	SF	Volts	Model Number	Product Number	Notes (see page 306)	Approx Shpg Wght (lbs)	List Price	Mult Sym
0.33	1800	56	72.0	1.15	200/400	RF4S0.33T62	LM02676		28	\$308	LT-1A
0.5	3600	56	-	1.15	200/400	SRF2S0.5T62	TBD		TBD	291	LT-1A
	1800	56	74.0	1.15	200/400	RF4S0.5T62	LM02682		28	377	LT-1A
	1200	56	70.0	1.15	200/400	RF6S0.5T62	LM02679		28	477	LT-1A
0.75	3600	56	74.0	1.15	200/400	RF2S0.75T62	LM02694		28	319	LT-1A
	3600	56	74.0	1.15	200/400	RF4S0.75T62	LM02691		TBD	386	LT-1A
	1200	G56	74.0	1.15	200/400	RF6S0.75T62	LM02688		28	486	LT-1A
1	3600	56	75.5	1.15	200/400	RF2S1T62	LM02703		28	386	LT-1A
	1800	G56	78.5	1.15	200/400	RF4S1T62	LM02700		28	403	LT-1A
	1800	143T	82.5	1.15	200/400	SS4S1T62	LM24358		TBD	423	LT-1A
	1200	56H	72.0	1.15	200/400	RF6S1T62	LM02697		36	493	LT-1A
	1200	145T	80.0	1.15	200/400	SSF6S1T62	LM24357		TBD	516	LT-1A
	900	182T	70.0	1.15	200/400	AF8S1T62	LM01365		64	861	LT-1A
1.5	3600	143T	80.0	1.15	200/400	SSF2S1.5T62	LM25221		TBD	445	LT-1A
	1800	56H	80.0	1.15	200/400	RF4S1.5T62	LM02706		36	423	LT-1A
	1800	145T	80.0	1.15	200/400	SF4S1.5T62	LM02834		40	459	LT-1A
	1200	182T	77.0	1.15	200/400	AF6S1.5T62	LM01272		68	576	LT-1A
	900	184T	72.0	1.15	200/400	AF8S1.5T62	LM01386		71	1020	LT-1A
2	3600	56H	78.5	1.15	200/400	RF2S2T62	LM02715		36	468	LT-1A
	3600	145T	-	1.15	200/400	SSF2S2T62	TBD		TBD	468	LT-1A
	1800	56H	80.0	1.15	200/400	RF4S2T62	LM02712		36	500	LT-1A
	1800	145T	84.0	1.15	200/400	SSF4S2T62	LM24359	A	TBD	441	LT-1A
	1200	184T	78.5	1.15	200/400	AF6S2T62	LM01349		72	798	LT-1A
3	900	213T	75.5	1.15	200/400	AF8S2T62	LM01875		101	1210	LT-1A
	3600	182T	80.0	1.15	200/400	AF2S3T62	LM01346		68	604	LT-1A
	1800	182T	82.5	1.15	200/400	AF4S3T62	LM01285		72	552	LT-1A
	1200	213T	77.0	1.15	200/400	AF6S3T62	LM01516		95	853	LT-1A
	900	215T	77.0	1.15	200/400	AF8S3T62	LM01924		119	1282	LT-1A
5	3600	184T	84.0	1.15	200/400	AF2S5T62	LM01352		74	730	LT-1A
	1800	184T	82.5	1.15	200/400	AF4S5T62	LM01324		72	628	LT-1A
	1200	215T	81.5	1.15	200/400	AF6S5T62	LM01546		116	995	LT-1A
	900	254T	81.5	1.15	200/400	AF8S5T62	LM01562		161	1800	LT-1A
7.5	3600	213T	80.0	1.15	200/400	AF2S7.5T62	LM01523		106	980	LT-1A
	1800	213T	81.5	1.15	200/400	AF4S7.5T62	LM01451		104	885	LT-1A
	1200	254T	82.5	1.15	200/400	AF6S7.5T62	LM01663		157	1531	LT-1A
	900	256T	82.5	1.15	200/400	AF8S7.5T62	LM01699		195	2130	LT-1A
10	3600	215T	81.5	1.15	200/400	AF2S10T62	LM01543		118	1190	LT-1A
	1800	215T	84.0	1.15	200/400	AF4S10T62	LM01486		119	970	LT-1A
	1200	256T	84.0	1.15	200/400	AF6S10T62	LM01666		198	1738	LT-1A
15	3600	254T	82.5	1.15	200/400	AF2S15T62	LM01608		162	1653	LT-1A
	1800	254T	85.5	1.15	200/400	AF4S15T62	LM01577		148	1560	LT-1A
20	3600	256T	85.5	1.15	200/400	AF2S20T62	LM01732		197	1921	LT-1A
	1800	256T	86.5	1.15	200/400	AF4S20T62	LM01626		194	1772	LT-1A
25	1200	324T	90.2	1.15	200/400	SF6H25T62	LM08447		504	4083	LT-1A

Prices and data subject to change without notice.

Product numbers in red are STOCK items.

ODP & TEFC 200/400 VOLT MOTORS



3-PHASE FOOT MOUNT & C-FACE 1/3 TO 125 HP

TEFC • FOOT MOUNT (cont'd)

HP	SYN RPM	Frame	FL Nom Eff (%)	SF	Volts	Model Number	Product Number	Notes (see page 306)	Approx Shpg Wght (lbs)	List Price	Mult Sym
30	1200	326T	91.0	1.15	200/400	SF6H30T62	LM02157		542	\$4440	LT-1A
40	3600	324TS	90.2	1.15	200/400	SF2H40TS62	LM02323		508	3737	LT-1A
	1800	324T	91.7	1.15	200/400	SF4H40T62	LM02005		496	3523	LT-1A
	1200	364T	91.7	1.15	200/400	SF6H40T62	LM02578		682	5400	LT-1A
50	3600	326TS	91.0	1.15	200/400	SF2H50TS62	LM02159		556	4631	LT-1A
	1800	326T	92.4	1.15	200/400	SF4H50T62	LM02010		552	3997	LT-1A
	1200	365T	91.7	1.15	200/400	SF6H50T62	LM02460		764	6044	LT-1A
60	3600	364TS	91.7	1.15	200/400	SF2H60TS62	LM02579		698	6711	LT-1A
	1800	364T	93.0	1.15	200/400	SF4H60T62	LM02386		682	5545	LT-1A
75	3600	365TS	92.4	1.15	200/400	SF2H75TS62	LM02921		768	7298	LT-1A
	1800	365T	93.0	1.15	200/400	SF4H75T62	LM02394		755	6138	LT-1A
100	1800	405T	93.6	1.15	200/400	SF4H100T62	LM02444		986	8306	LT-1A

TEFC • C-FACE WITH FEET

HP	SYN RPM	Frame	FL Nom Eff (%)	SF	Volts	Model Number	Product Number	Notes (see page 306)	Approx Shpg Wght (lbs)	List Price	Mult Sym
1/3	1800	56C	-	1.15	200/400	SRF4S0.33TC62	TBD		-	\$365	LT-1A
1/2	3600	56C	70.0	1.15	200/400	RF2S0.5TC62	LM02686		33	332	LT-1A
	1800	56C	74.0	1.15	200/400	RF4S0.5TC62	LM02683		33	418	LT-1A
	1200	56C	-	1.15	200/400	SRF6S0.5TC62	TBD		-	519	LT-1A
3/4	3600	56C	-	1.15	200/400	SRF2S0.75TC62	TBD		-	361	LT-1A
	1800	56C	75.5	1.15	200/400	SRF4S0.75TC62	LM25927		-	427	LT-1A
	1200	56C	-	1.15	200/400	SRF6S0.75TC62	TBD		-	529	LT-1A
1	3600	56C	74.0	1.15	200/400	SRF2S1TC62	LM25539		-	427	LT-1A
	1800	56C	77.0	1.15	200/400	SRF4S1TC62	LM26028		-	444	LT-1A
	1800	143TC	-	1.15	200/400	SSF4S1TC62	TBD		-	444	LT-1A
1 1/2	1800	56HC	80.0	1.15	200/400	RF4S1.5TC62	LM02707		41	500	LT-1A
	1800	145TC	-	1.15	200/400	SSF4S1.5TC62	TBD		-	464	LT-1A
2	1800	56HC	80.0	1.15	200/400	RF4S2TC62	LM02713		41	543	LT-1A
	1800	145TC	-	1.15	200/400	SSF4S2TC62	LM24294	A	50	546	LT-1A
3	1800	182TC	82.5	1.15	200/400	AF4S3TC62	LM01288		72	614	LT-1A
5	1800	184TC	84.0	1.15	200/400	AF4S5TC62	LM01327		76	690	LT-1A
7 1/2	1800	213TC	81.5	1.15	200/400	AF4S7.5TC62	LM01454		110	950	LT-1A
10	1800	215TC	84.0	1.15	200/400	AF4S10TC62	LM01489		125	1044	LT-1A
15	1800	254TC	85.5	1.15	200/400	AF4S15TC62	LM01579		156	1600	LT-1A
20	1800	256TC	86.5	1.15	200/400	AF4S20TC62	LM01628		202	1869	LT-1A
40	1800	324TC	91.7	1.15	200/400	SF4H40TC62	LM02009		506	3800	LT-1A
50	1800	326TC	92.4	1.15	200/400	SF4H50TC62	LM02013		562	4217	LT-1A

Prices and data subject to change without notice.

Product numbers in red are STOCK items.