

**FOOT MOUNT**

HP	SYN RPM	Frame	FL Nom Eff (%)	SF	Volts	Model Number	Product Number	Approx Shpg Wght (lbs)
1/4	1800	48	62.5	1.15	230/460	SPF4S0.25T61	<b>LM24929</b>	17
1/3	1800	48	65.5	1.15	230/460	SPF4S0.33T61	<b>LM24930</b>	20
	1800	S56	65.5	1.15	230/460	SRF4S0.33T61	<b>LM24107</b>	16
	1200	56	62.0	1.15	230/460	SRF6S0.33T61	<b>LM24931</b>	22
1/2	3600	56	69.0	1.15	230/460	SRF2S0.5T61	<b>LM24165</b>	22
	1800	48	70.0	1.15	230/460	SPF4S0.5T61	<b>LM24932</b>	23
	1800	S56	70.0	1.15	230/460	SRF4S0.5T61	<b>LM24073</b>	18
	1200	56	68.0	1.15	230/460	SRF6S0.5T61	<b>LM24105</b>	24
	900	143T	66.0	1.15	230/460	SSF8S0.5T61	<b>LM24291</b>	31
3/4	3600	56	74.0	1.15	230/460	SRF2S0.75T61	<b>LM24133</b>	23
	1800	S56	75.5	1.15	230/460	SRF4S0.75T61	<b>LM24075</b>	30
	1200	56	74.0	1.15	230/460	SRF6S0.75T61	<b>LM24136</b>	28
	1200	143T	74.0	1.15	230/460	SSF6S0.75T61	<b>LM24103</b>	29
	900	145T	70.0	1.15	230/460	SSF8S0.75T61	<b>LM24276</b>	49
	1	3600	56	74.0	1.15	230/460	SRF2S1T61	<b>LM24094</b>
1800		56	77.0	1.15	230/460	SRF4S1T61	<b>LM24078</b>	27
1800		143T	85.5	1.25	230/460	SSF4B1T61	<b>LM32796</b>	41
1200		145T	82.5	1.25	230/460	SSF6B1T61	<b>LM33121</b>	34
1200		56H	78.5	1.15	230/460	SRF6S1T61	<b>LM24159</b>	35
900		182T	74.0	1.15	230/460	AAF8P1T61	<b>LM32662</b>	64
1 1/2		3600	56	80.0	1.15	230/460	SRF2S1.5T61	<b>LM24144</b>
	3600	143T	84.0	1.25	230/460	SSF2B1.5T61	<b>LM33122</b>	32
	1800	56H	80.0	1.15	230/460	SRF4S1.5T61	<b>LM24118</b>	30
	1800	145T	86.5	1.25	230/460	SSF4B1.5T61	<b>LM33123</b>	45
	1200	182T	87.7	1.25	230/460	AAF6B1.5T61	<b>LM15648</b>	83
	900	184T	77.0	1.15	230/460	AAF8P1.5T61	<b>LM32798</b>	71
2	3600	56H	82.5	1.15	230/460	SRF2S2T61	<b>LM24347</b>	39
	3600	145T	85.5	1.25	230/460	SSF2B2T61	<b>LM33124</b>	31
	1800	56H	82.5	1.15	230/460	SRF4S2T61	<b>LM24097</b>	40
	1800	145T	86.5	1.25	230/460	SSF4B2T61	<b>LM33125</b>	41
	1200	184T	88.5	1.25	230/460	AAF6B2T61	<b>LM15651</b>	92
	900	213T	82.5	1.15	230/460	AF8P2T61	<b>LM32799</b>	101
3	3600	56H	84.0	1.15	230/460	SRF2S3T61	<b>LM24935</b>	51
	3600	182T	87.5	1.25	230/460	AAF2B3T61	<b>LM15646</b>	83
	1800	182T	90.2	1.25	230/460	AAF4B3T61	<b>LM15647</b>	83
	1800	182T	89.5	1.15	230/460	SSF4B3T61	<b>LM32741</b>	77
	1800	182T	89.5	1.25	230/460	AAF4B3T61AP23	<b>LM70009</b>	60
	1200	213T	89.5	1.25	230/460	AF6B3T61	<b>LM16030</b>	127
	900	215T	84.0	1.15	230/460	AF8P3T61	<b>LM32664</b>	119

Product numbers in red are STOCK items.

Specifications are subject to change without notice

**TEFC**  
**208, 230/460 AND 460 VOLTS • 3-PHASE**  
**FOOT MOUNT & C-FACE**  
**1/4 TO 400 HP**



**FOOT MOUNT (cont'd)**

HP	SYN RPM	Frame	FL Nom Eff (%)	SF	Volts	Model Number	Product Number	Approx Shpg Wght (lbs)
5	3600	184T	89.5	1.25	230/460	AAF2B5T61	<b>LM15649</b>	92
	1800	184T	90.2	1.25	230/460	AAF4B5T61	<b>LM15650</b>	92
	1800	184T	87.5	1.15	230/460	SSF4B5T61	<b>LM32295</b>	85
	1800	184T	87.5	1.25	230/460	AAF4B5T61AP23	<b>LM70010</b>	75
	1200	215T	89.5	1.25	230/460	AF6B5T61	<b>LM16033</b>	138
	1200	215T	89.5	1.15	230/460	SSF6B5T61	<b>LM32802</b>	140
	900	254T	85.5	1.15	230/460	AF8P5T61	<b>LM32803</b>	159
7 1/2	3600	213T	91.0	1.25	230/460	AF2B7.5T61	<b>LM28968</b>	127
	3600	213T	89.5	1.15	230/460	SSF2B7.5T61	<b>LM32804</b>	109
	1800	213T	91.0	1.25	230/460	AF4B7.5T61	<b>LM16029</b>	127
	1800	213T	91.0	1.15	230/460	SSF4B7.5T61	<b>LM32805</b>	115
	1800	213T	91.0	1.25	230/460	AAF4B7.5T61AP23	<b>LM70011</b>	110
	1200	254T	91.0	1.25	230/460	AF6B7.5T61	<b>LM15672</b>	209
10	900	256T	85.5	1.15	230/460	AF8P7.5T61	<b>LM32807</b>	195
	3600	215T	91.0	1.25	230/460	AF2B10T61	<b>LM16031</b>	138
		215T	90.2	1.15	230/460	SSF2B10T61	<b>LM32808</b>	126
	1800	215T	91.7	1.25	230/460	AF4B10T61	<b>LM16032</b>	138
	1800	215T	91.7	1.15	230/460	SSF4B10T61	<b>LM32809</b>	135
	1800	215T	91.7	1.25	230/460	AAF4B1061AP23	<b>LM70012</b>	125
15	1200	256T	91.0	1.25	230/460	AF6B10T61	<b>LM15675</b>	236
	3600	254T	91.7	1.25	230/460	AAF2B15T61	<b>LM15670</b>	209
		1800	254T	92.4	1.25	230/460	AAF4B15T61	<b>LM15671</b>
20	1200	284T	92.4	1.25	230/460	AF6B15T61Y	<b>LM13962</b>	363
	3600	256T	91.7	1.25	230/460	AF2B20T61	<b>LM15673</b>	236
		1800	256T	93.0	1.25	230/460	AAF4B20T61	<b>LM15674</b>
25	1200	286T	93.0	1.25	230/460	AF6B20T61Y	<b>LM13965</b>	408
	3600	284TS	93.0	1.25	230/460	AF2B25TS61Y	<b>LM13960</b>	363
		284T	91.7	1.25	230/460	AF2B25T61Y	<b>LM32811</b>	363
	1800	284T	94.1	1.25	230/460	AF4B25T61Y	<b>LM13961</b>	363
	1800	284TS	93.6	1.25	230/460	AF4B25TS61Y	<b>LM32812</b>	363
1200	324T	93.0	1.25	230/460	SF6B25T61Y	<b>LM13696</b>	504	

Product numbers in red are STOCK items.

Specifications are subject to change without notice



**TEFC**

**208, 230/460 AND 460 VOLTS • 3-PHASE  
FOOT MOUNT & C-FACE  
1/4 TO 400 HP**

**FOOT MOUNT (cont'd)**

HP	SYN RPM	Frame	FL Nom Eff (%)	SF	Volts	Model Number	Product Number	Approx Shpg Wght (lbs)
30	3600	286TS	93.0	1.25	230/460	AF2B30TS61Y	LM13963	408
	3600	286T	93.6	1.25	230/460	AF2B30T61Y	LM32813	408
	1800	286T	94.5	1.25	230/460	AF4B30T61Y	LM13964	408
	1800	286TS	93.6	1.25	230/460	AF4B30TS61Y	LM32814	408
	1200	326T	93.0	1.25	230/460	SF6B30T61Y	LM13697	558
40	3600	324TS	94.1	1.25	230/460	SF2B40TS61Y	LM13698	504
	3600	324T	94.1	1.25	230/460	SF2B40T61Y	LM32671	504
	1800	324T	94.1	1.25	230/460	SF4B40T61Y	LM13699	504
	1800	324TS	94.1	1.25	230/460	SF4B40TS61Y	LM32686	504
	1200	364T	94.5	1.25	230/460	SF6B40T61Y	LM13918	765
50	3600	326TS	94.1	1.25	230/460	SF2B50TS61Y	LM13700	558
	3600	326T	94.1	1.25	230/460	SF2B50T61Y	LM32669	558
	1800	326T	95.0	1.25	230/460	SF4B50T61Y	LM13701	558
	1800	326TS	94.5	1.25	230/460	SF4B50TS61Y	LM32815	558
	1200	365T	94.5	1.25	230/460	SF6B50T61Y	LM13921	822
60	3600	364TS	95.0	1.25	230/460	SF2B60TS61Y	LM14808	765
	3600	364T	94.5	1.25	230/460	SF2B60T61Y	LM32816	765
	1800	364T	95.0	1.25	230/460	SF4B60T61Y	LM14809	765
	1800	364TS	94.5	1.25	230/460	SF4B60TS61Y	LM32676	765
	1200	404T	94.5	1.15	230/460	SF6B60T61Y	LM13938	918
75	3600	365TS	95.0	1.25	230/460	SF2B75TS61Y	LM14810	822
	3600	365T	95.0	1.25	230/460	SF2B75T61Y	LM32729	822
	1800	365T	95.0	1.15	230/460	SF4B75T61Y	LM14811	822
	1800	365TS	95.0	1.25	230/460	SF4B75TS61Y	LM32672	822
	1200	405T	94.5	1.15	230/460	SF6B75T61Y	LM13941	1002
100	3600	405TS	94.5	1.15	230/460	SF2B100TS61Y	LM13939	1002
	3600	405T	95.4	1.15	230/460	SF2B100T61Y	LM32818	1002
	1800	405T	95.4	1.15	230/460	SF4B100T61Y	LM13940	1002
	1800	405TS	95.4	1.15	230/460	SF4B100TS61Y	LM32819	1002
	1200	444T	95.4	1.15	460	SF6B100T64Y	LM13702	1351
125	3600	444TS	95.0	1.15	460	SF2B125TS64Y	LM13703	1351
	1800	444T	96.2	1.15	460	SF4B125T64Y	LM13704	1351
	1800	444TS	96.2	1.15	460	SF4B125TS64Y	LM32820	1351
	1200	445T	95.0	1.15	460	SF6B125T64Y	LM13705	1531

Product numbers in red are STOCK items.

Specifications are subject to change without notice

**TEFC**  
**208, 230/460 AND 460 VOLTS • 3-PHASE**  
**FOOT MOUNT & C-FACE**  
**1/4 TO 400 HP**



**FOOT MOUNT (cont'd)**

HP	SYN RPM	Frame	FL Nom Eff (%)	SF	Volts	Model Number	Product Number	Approx Shpg Wght (lbs)
<b>150</b>	3600	445TS	95.8	1.15	460	SF2B150TS64Y	<b>LM13706</b>	1531
	1800	445T	96.2	1.15	460	SF4B150T64Y	<b>LM13707</b>	1531
	1800	445TS	96.2	1.15	460	SF4B150TS64Y	<b>LM32679</b>	1504
	1200	447T	95.8	1.15	460	SF6B150T64Y	<b>LM16231</b>	1812
<b>200</b>	3600	447TS	95.4	1.15	460	SF2B200TS64Y	<b>LM16229</b>	1812
	3600	445TS	95.4	1.15	460	SF2B200TS64Y	<b>LM13709</b>	1531
	1800	447T	96.2	1.15	460	SF4B200T64Y	<b>LM16230</b>	1812
	1800	445T	96.2	1.15	460	SF4B200T64Y	<b>LM13710</b>	1531
	1800	445TS	96.2	1.15	460	SF4B200TS64Y	<b>LM32821</b>	1504
	1200	447T	95.8	1.15	460	SF6B200T64Y	<b>LM13711</b>	1812
<b>250</b>	3600	449TS	96.5	1.15	460	SF2B250TS64Y	<b>LM16232</b>	2185
	3600	447TS	96.2	1.15	460	SF2B250TS64Y	<b>LM13712</b>	1812
	3600	449TS	95.4	1.15	460	SF2P250TS64Y	<b>LM16222</b>	2185
	3600	447TS	95.4	1.00	460	SF2P250TS64Y	<b>LM13556</b>	1812
	1800	449T	96.5	1.15	460	SF4B250T64Y	<b>LM16233</b>	2185
	1800	447T	96.2	1.15	460	SF4B250T64Y	<b>LM13713</b>	1812
	1800	449T	95.0	1.15	460	SF4P250T64Y	<b>LM16223</b>	2185
	1800	447T	95.0	1.15	460	SF4P250T64Y	<b>LM13557</b>	1812
	1800	447TS	95.0	1.15	460	SF4P250TS64Y	<b>LM14751</b>	1812
	1800	447TS	95.0	1.15	460	SF4P250TS64Y	<b>LM14751</b>	1812
<b>300</b>	3600	449TS	96.2	1.15	460	SF2B300TS64Y	<b>LM13715</b>	2185
	3600	449TS	95.4	1.15	460	SF2P300TS64Y	<b>LM13559</b>	2185
	1800	449T	96.5	1.15	460	SF4B300T64Y	<b>LM17956</b>	2185
	1800	447T	96.2	1.15	460	SF4B300T64Y	<b>LM13716</b>	1812
	1800	449T	95.4	1.15	460	SF4P300T64Y	<b>LM17953</b>	2185
	1800	449TS	95.4	1.15	460	SF4P300TS64Y	<b>LM18347</b>	2185
	1800	447T	95.4	1.00	460	SF4P300T64Y	<b>LM13560</b>	1812
	1800	447TS	95.4	1.00	460	SF4P300TS64Y	<b>LM18319</b>	1812
	1800	447TS	95.4	1.00	460	SF4P300TS64Y	<b>LM18319</b>	1812
<b>350</b>	3600	449TS	95.8	1.15	460	SF2B350TS64Y	<b>LM13719</b>	2185
	3600	449TS	95.4	1.00	460	SF2P350TS64Y	<b>LM13562</b>	2185
	1800	449T	96.2	1.15	460	SF4B350T64Y	<b>LM13720</b>	2185
	1800	449T	95.4	1.15	460	SF4P350T64Y	<b>LM13563</b>	2185
<b>400</b>	3600	449TS	95.8	1.00	460	SF2B400TS64Y	<b>LM13721</b>	2185
	3600	449TS	95.4	1.00	460	SF2P400TS64Y	<b>LM13564</b>	2185
	1800	449T	96.2	1.15	460	SF4B400T64Y	<b>LM13722</b>	2185
	1800	449T	95.4	1.00	460	SF4P400T64Y	<b>LM13565</b>	2185

Product numbers in red are STOCK items.

Specifications are subject to change without notice



**TEFC**

**208, 230/460 AND 460 VOLTS • 3-PHASE  
FOOT MOUNT & C-FACE  
1/4 TO 400 HP**

**C-FACE WITH FEET**

HP	SYN RPM	Frame	FL Nom Eff (%)	SF	Volts	Model Number	Product Number	Approx Shpg Wght (lbs)
1/4	1800	S56	62.5	1.15	230/460	SRF4S0.25TC61	<b>LM24946</b>	21
1/3	1800	S56	65.5	1.15	230/460	SRF4S0.33TC61	<b>LM24114</b>	21
	1200	56C	62.0	1.15	230/460	SRF6S0.33TC61	<b>LM24948</b>	22
1/2	3600	56C	69.0	1.15	230/460	SRF2S0.5TC61	<b>LM24129</b>	22
	1800	S56	70.0	1.15	230/460	SRF4S0.5TC61	<b>LM24074</b>	18
	1200	56C	68.0	1.15	230/460	SRF6S0.5TC61	<b>LM24104</b>	24
	900	143TC	66.0	1.15	230/460	SSF8S0.5TC61	<b>LM24949</b>	31
3/4	3600	56C	74.0	1.15	230/460	SRF2S0.75TC61	<b>LM24134</b>	22
	1800	S56	75.5	1.15	230/460	SRF4S0.75TC61	<b>LM24076</b>	20
	1200	56C	74.0	1.15	230/460	SRF6S0.75TC61	<b>LM24140</b>	26
	1200	143TC	74.0	1.15	230/460	SSF6S0.75TC61	<b>LM24273</b>	28
	900	145TC	70.0	1.15	230/460	SSF8S0.75TC61	<b>LM24265</b>	49
1	3600	56C	74.0	1.15	230/460	SRF2S1TC61	<b>LM24126</b>	25
	1800	56C	77.0	1.15	230/460	SRF4S1TC61	<b>LM24079</b>	28
	1800	143TC	85.5	1.25	230/460	SSF4B1TC61	<b>LM32822</b>	41
	1200	56HC	78.5	1.15	230/460	SRF6S1TC61	<b>LM24349</b>	38
	1200	145TC	82.5	1.25	230/460	SSF6B1TC61	<b>LM32823</b>	47
1 1/2	900	182TC	74.0	1.15	230/460	AAF8P1TC61	<b>LM32692</b>	68
	3600	56C	80.0	1.15	230/460	SRF2S1.5TC61	<b>LM24135</b>	41
	3600	143TC	84.0	1.25	230/460	SSF2B1.5TC61	<b>LM32824</b>	41
	1800	56HC	80.0	1.15	230/460	SRF4S1.5TC61	<b>LM24095</b>	31
	1800	145TC	86.5	1.25	230/460	SSF4B1.5TC61	<b>LM32825</b>	44
	1200	182TC	87.5	1.25	230/460	AAF6B1.5TC61	<b>LM16728</b>	95
	1200	182TC	87.5	1.15	230/460	SSF6B1.5TC61	<b>LM32826</b>	54
2	900	184TC	77.0	1.15	230/460	AAF8P1.5TC61	<b>LM32827</b>	75
	3600	56HC	82.5	1.15	230/460	SRF2S2TC61	<b>LM24121</b>	38
	3600	145TC	85.5	1.25	230/460	SSF2B2TC61	<b>LM32828</b>	40
	1800	56HC	82.5	1.15	230/460	SRF4S2TC61	<b>LM24081</b>	50
	1800	145TC	86.5	1.25	230/460	SSF4B2TC61	<b>LM32829</b>	46
	1200	184TC	87.5	1.25	230/460	AAF6B2TC61	<b>LM16739</b>	104
	1200	184TC	88.5	1.15	230/460	SSF6B2TC61	<b>LM32830</b>	56
	900	213TC	82.5	1.15	230/460	AAF8P2TC61	<b>LM32831</b>	107
3	3600	56HC	84.0	1.15	230/460	SRF2S3TC61	<b>LM24953</b>	53
	3600	182TC	87.5	1.25	230/460	AAF2B3TC61	<b>LM16741</b>	95
	1800	182TC	90.2	1.25	230/460	AAF4B3TC61	<b>LM16742</b>	95
	1800	213TC	89.5	1.25	230/460	AAF4B3TC61AP23	<b>LM71009</b>	75
	1200	213TC	89.5	1.25	230/460	AF6B3TC61	<b>LM16744</b>	138
	1200	213TC	89.5	1.15	230/460	SSF6B3TC61	<b>LM32833</b>	90
	900	215TC	84.0	1.15	230/460	AF8P3TC61	<b>LM32834</b>	125
	5	3600	184TC	89.5	1.25	230/460	AAF2B5TC61	<b>LM16745</b>
1800		184TC	90.2	1.25	230/460	AAF4B5TC61	<b>LM16747</b>	104
1800		184TC	90.2	1.25	230/460	AAF4B3TC61AP23	<b>LM71010</b>	85
1200		215TC	89.5	1.25	230/460	AF6B5TC61	<b>LM16748</b>	149
1200		215TC	89.5	1.15	230/460	SSF6B5TC61	<b>LM32835</b>	115
900		254TC	85.5	1.15	230/460	AF8P5TC61	<b>LM32836</b>	167

Product numbers in red are STOCK items.

Specifications are subject to change without notice

**TEFC**  
**208, 230/460 AND 460 VOLTS • 3-PHASE**  
**FOOT MOUNT & C-FACE**  
**1/4 TO 400 HP**



**C-FACE WITH FEET (cont'd)**

HP	SYN RPM	Frame	FL Nom Eff (%)	SF	Volts	Model Number	Product Number	Approx Shpg Wght (lbs)
<b>7 1/2</b>	3600	213TC	91.0	1.25	230/460	AAF2B7.5TC61	<b>LM16750</b>	138
	3600	213TC	91.0	1.25	230/460	SSF2B7.5TC61	<b>LM32837</b>	110
	1800	213TC	91.0	1.25	230/460	AF4B7.5TC61	<b>LM16752</b>	138
	1800	213TC	91.7	1.25	230/460	AF4B7.5TC61AP23	<b>LM71011</b>	138
	1800	213TC	91.7	1.15	230/460	SSF4B7.5TC61	<b>LM32838</b>	135
	1200	254TC	91.0	1.25	230/460	AAF6B7.5TC61	<b>LM16753</b>	221
	900	256TC	85.5	1.15	230/460	AF8P7.5TC61	<b>LM32839</b>	203
<b>10</b>	3600	215TC	91.0	1.25	230/460	AF2B10TC61	<b>LM16755</b>	149
	3600	215TC	90.0	1.15	230/460	SSF2B10TC61	<b>LM32840</b>	125
	1800	215TC	91.0	1.25	230/460	AF4B10TC61	<b>LM16757</b>	149
	1800	215TC	91.7	1.25	230/460	AAF4B10TC61AP23	<b>LM71012</b>	149
	1800	215TC	91.7	1.15	230/460	SSF4B10TC61	<b>LM32841</b>	135
	1200	256TC	91.0	1.25	230/460	AF6B10TC61	<b>LM16759</b>	248
<b>15</b>	3600	254TC	91.0	1.25	230/460	AF2B15TC61	<b>LM16761</b>	221
	1800	254TC	92.4	1.25	230/460	AF4B15TC61	<b>LM16762</b>	221
	1200	284TC	91.7	1.25	230/460	AF6B15TC61Y	<b>LM16764</b>	370
<b>20</b>	3600	256TC	91.7	1.25	230/460	AF2B20TC61	<b>LM16766</b>	248
	1800	256TC	93.0	1.25	230/460	AF4B20TC61	<b>LM16767</b>	248
	1200	286TC	93.0	1.25	230/460	AF6B20TC61Y	<b>LM16769</b>	415
<b>25</b>	3600	284TSC	91.7	1.25	230/460	AF2B25TSC61Y	<b>LM16770</b>	370
	1800	284TC	94.1	1.25	230/460	AF4B25TC61Y	<b>LM16772</b>	370
	1800	284TSC	92.4	1.25	230/460	AF4B25TSC61Y	<b>LM32654</b>	370
	1200	324TC	93.0	1.25	230/460	SF6B25TC61Y	<b>LM13723</b>	514
<b>30</b>	3600	286TSC	92.4	1.25	230/460	AF2B30TSC61Y	<b>LM16773</b>	415
	1800	286TC	94.5	1.25	230/460	AF4B30TC61Y	<b>LM16774</b>	415
	1800	286TSC	93.6	1.25	230/460	AF4B30TSC61Y	<b>LM32842</b>	415
	1200	326TC	93.0	1.25	230/460	SF6B30TC61Y	<b>LM13724</b>	568
<b>40</b>	3600	324TSC	93.6	1.25	230/460	SF2B40TSC61Y	<b>LM13725</b>	514
	1800	324TC	94.1	1.25	230/460	SF4B40TC61Y	<b>LM13726</b>	514
	1800	324TSC	94.1	1.25	230/460	SF4B40TSC61Y	<b>LM32652</b>	514
	1200	364TC	94.5	1.25	230/460	SF6B40TC61Y	<b>LM15565</b>	777
<b>50</b>	3600	326TSC	94.1	1.25	230/460	SF2B50TSC61Y	<b>LM13727</b>	568
	1800	326TC	95.0	1.25	230/460	SF4B50TC61Y	<b>LM13728</b>	568
	1800	326TSC	94.5	1.25	230/460	SF4B50TSC61Y	<b>LM32843</b>	568
	1200	365TC	94.5	1.25	230/460	SF6B50TC61Y	<b>LM15568</b>	834

Product numbers in red are STOCK items.

Specifications are subject to change without notice



**TEFC**

**208, 230/460 AND 460 VOLTS • 3-PHASE  
FOOT MOUNT & C-FACE  
1/4 TO 400 HP**

**C-FACE WITH FEET (cont'd)**

HP	SYN RPM	Frame	FL Nom Eff (%)	SF	Volts	Model Number	Product Number	Approx Shpg Wght (lbs)
60	3600	364TSC	95.0	1.25	230/460	SF2B60TSC61Y	<b>LM15562</b>	777
	1800	364TC	95.0	1.25	230/460	SF4B60TC61Y	<b>LM15563</b>	777
	1800	364TSC	95.00	1.25	230/460	SF4B60TSC61Y	<b>LM32665</b>	777
	1200	404TC	94.5	1.15	230/460	SF6B60TC61Y	<b>LM16716</b>	934
75	3600	365TSC	95.0	1.25	230/460	SF2B75TSC61Y	<b>LM15566</b>	834
	1800	365TC	95.4	1.15	230/460	SF4B75TC61Y	<b>LM15567</b>	834
	1800	365TSC	95.4	1.25	230/460	SF4B75TSC61Y	<b>LM32653</b>	834
	1200	405TC	94.5	1.15	230/460	SF6B75TC61Y	<b>LM16717</b>	1018
100	3600	405TSC	95.8	1.15	230/460	SF2B100TSC61Y	<b>LM16719</b>	1018
	1800	405TC	95.4	1.15	230/460	SF4B100TC61Y	<b>LM15263</b>	1018
	1800	405TSC	95.4	1.15	230/460	SF4B100TSC61Y	<b>LM32659</b>	1018
	1200	444TC	95.4	1.15	460	SF6B100TC64Y	<b>LM13729</b>	1372
125	3600	444TSC	95.0	1.15	460	SF2B125TSC64Y	<b>LM13730</b>	1372
	1800	444TC	96.2	1.15	460	SF4B125TC64Y	<b>LM13731</b>	1372
	1800	444TSC	95.4	1.15	460	SF4B125TSC64Y	<b>LM32844</b>	1372
	1200	445TC	95.0	1.15	460	SF6B125TC64Y	<b>LM13732</b>	1552
150	3600	445TSC	96.2	1.15	460	SF2B150TSC64Y	<b>LM13733</b>	1552
	1800	445TC	96.2	1.15	460	SF4B150TC64Y	<b>LM13734</b>	1552
	1800	445TSC	95.0	1.15	460	SF4B150TSC64Y	<b>LM32845</b>	1525
	1200	445TC	95.8	1.15	460	SF6B150TC64Y	<b>LM13735</b>	1552
200	3600	445TSC	96.2	1.15	460	SF2B200TSC64Y	<b>LM13736</b>	1552
	1800	445TC	96.2	1.15	460	SF4B200TC64Y	<b>LM13737</b>	1552
	1800	445TSC	96.2	1.15	460	SF4B200TSC64Y	<b>LM32660</b>	1525
	1200	445TC	95.8	1.15	460	SF6B200TC64Y	<b>LM13738</b>	1552
250	3600	447TSC	96.2	1.15	460	SF2B250TSC64Y	<b>LM13739</b>	1833
	3600	447TSC	95.4	1.00	460	SF2P250TSC64Y	<b>LM13582</b>	1833
	1800	447TC	96.2	1.15	460	SF4B250TC64Y	<b>LM13740</b>	1833
	1800	447TC	95.0	1.15	460	SF4P250TC64Y	<b>LM13583</b>	1833
300	3600	449TSC	96.2	1.15	460	SF2B300TSC64Y	<b>LM13742</b>	2206
	3600	449TSC	95.4	1.15	460	SF2P300TSC64Y	<b>LM13585</b>	2206
	1800	447TC	96.2	1.15	460	SF4B300TC64Y	<b>LM13743</b>	1833
	1800	449TC	95.4	1.15	460	SF4P300TC64Y	<b>LM19193</b>	2206
1800	447TC	95.4	1.00	460	SF4P300TC64Y	<b>LM15308</b>	1833	

Product numbers in red are STOCK items.

Specifications are subject to change without notice

**TEFC**  
**208, 230/460 AND 460 VOLTS • 3-PHASE**  
**FOOT MOUNT & C-FACE**  
**1/4 TO 400 HP**



**C-FACE WITH FEET (cont'd)**

HP	SYN RPM	Frame	FL Nom Eff (%)	SF	Volts	Model Number	Product Number	Approx Shpg Wght (lbs)
<b>350</b>	3600	449TSC	95.8	1.15	460	SF2B350TSC64Y	<b>LM13745</b>	2206
	3600	449TSC	95.4	1.00	460	SF2P350TSC64Y	<b>LM13588</b>	2206
	1800	449TC	96.2	1.15	460	SF4B350TC64Y	<b>LM13746</b>	2206
	1800	449TC	95.4	1.15	460	SF4P350TC64Y	<b>LM15400</b>	2206
<b>400</b>	3600	449TSC	95.8	1.00	460	SF2B400TSC64Y	<b>LM13747</b>	2206
	3600	449TSC	95.4	1.00	460	SF2P400TSC64Y	<b>LM13590</b>	2206
	1800	449TC	96.2	1.15	460	SF4B400TC64Y	<b>LM13748</b>	2206
	1800	449TC	95.4	1.00	460	SF4P400TC64Y	<b>LM13591</b>	2206

**C-FACE FOOTLESS**

HP	SYN RPM	Frame	FL Nom Eff (%)	SF	Volts	Model Number	Product Number	Approx Shpg Wght (lbs)
<b>1/4</b>	1800	56C	62.5	1.15	230/460	SRF4S0.25TCN61	<b>LM24964</b>	14
<b>1/3</b>	1800	S56	65.5	1.15	230/460	SRF4S0.33TCN61	<b>LM24093</b>	15
	1200	56C	62.0	1.15	230/460	SRF6S0.33TCN61	<b>LM24858</b>	21
<b>1/2</b>	3600	56C	69.0	1.15	230/460	SRF2S0.5TCN61	<b>LM24138</b>	22
	1800	S56	70.0	1.15	230/460	SRF4S0.5TCN61	<b>LM24083</b>	17
	1200	56C	68.0	1.15	230/460	SRF6S0.5TCN61	<b>LM24128</b>	23
	900	143TC	66.0	1.15	230/460	SSF8S0.5TCN61	<b>LM24965</b>	31
<b>3/4</b>	3600	56C	74.0	1.15	230/460	SRF2S0.75TCN61	<b>LM24151</b>	22
	1800	S56	75.5	1.15	230/460	SRF4S0.75TCN61	<b>LM24077</b>	21
	1200	56C	74.0	1.15	230/460	SRF6S0.75TCN61	<b>LM24153</b>	26
	1200	143TC	74.0	1.15	230/460	SSF6S0.75TCN61	<b>LM24966</b>	29
<b>1</b>	900	145TC	70.0	1.15	230/460	SSF8S0.75TCN61	<b>LM24967</b>	49
	3600	56C	74.0	1.15	230/460	SRF2S1TCN61	<b>LM24139</b>	24
	1800	56C	77.0	1.15	230/460	SRF4S1TCN61	<b>LM24080</b>	27
	1800	143TC	82.5	1.25	230/460	SSF4P1TCN61	<b>LM24148</b>	28
	1200	56HC	78.5	1.15	230/460	SRF6S1TCN61	<b>LM24130</b>	33
<b>1 1/2</b>	1200	145TC	77.0	1.15	230/460	SSF6P1TCN61	<b>LM32846</b>	33
	3600	56C	80.0	1.15	230/460	SRF2S1.5TCN61	<b>LM24096</b>	26
	3600	143TC	82.5	1.15	230/460	SSF2P1.5TCN61	<b>LM32810</b>	27
	1800	56C	80.0	1.15	230/460	SRF4S1.5TCN61	<b>LM24112</b>	29
	1800	145TC	84.0	1.25	230/460	SSF4P1.5TCN61	<b>LM24149</b>	31
<b>2</b>	1200	182TC	85.5	1.15	230/460	SSF6S1.5TCN61	<b>LM32847</b>	69
	3600	56HC	82.5	1.15	230/460	SRF2S2TCN61	<b>LM24132</b>	29
	3600	145TC	84.0	1.15	230/460	SSF2P2TCN61	<b>LM32678</b>	30
	1800	56HC	82.5	1.15	230/460	SRF4S2TCN61	<b>LM24084</b>	39
<b>3</b>	1800	145TC	85.5	1.25	230/460	SSF4P2TCN61	<b>LM24125</b>	39
	3600	56HC	84.0	1.15	230/460	SRF2S3TCN61	<b>LM24975</b>	40
	3600	145TC	85.5	1.15	230/460	SSF2S3TCN61	<b>LM32848</b>	40
	1800	145TC	87.5	1.15	230/460	SSF4P3TCN61	<b>LM32849</b>	50
<b>4</b>	1800	182TC	90.2	1.25	230/460	AAF4B3TCN61	<b>LM16824</b>	95
	1800	182TC	87.5	1.25	230/460	AAF4P3TCN61	<b>LM16298</b>	95
	1200	213TC	87.5	1.15	230/460	SSF6P3TCN61	<b>LM32850</b>	75

Product numbers in red are STOCK items.

Specifications are subject to change without notice



**TEFC**

**208, 230/460 AND 460 VOLTS • 3-PHASE  
FOOT MOUNT & C-FACE  
1/4 TO 400 HP**

**C-FACE FOOTLESS (cont'd)**

HP	SYN RPM	Frame	FL Nom Eff (%)	SF	Volts	Model Number	Product Number	Approx Shpg Wght (lbs)
5	1800	184TC	90.2	1.25	230/460	AAF4B5TCN61	<b>LM16825</b>	104
	1800	184TC	87.5	1.25	230/460	AAF4P5TCN61	<b>LM16299</b>	104
	1200	215TC	87.5	1.15	230/460	SSF6P5TCN61	<b>LM32851</b>	80
7 1/2	3600	213TC	88.5	1.15	230/460	SSF2P7.5TCN61	<b>LM32852</b>	80
	1800	213TC	91.0	1.25	230/460	AF4B7.5TCN61	<b>LM16826</b>	138
	1800	213TC	89.5	1.25	230/460	AF4P7.5TCN61	<b>LM16300</b>	138
	1800	213TC	89.5	1.15	230/460	SSF4P7.5TCN61	<b>LM32853</b>	103
10	3600	215TC	89.5	1.15	230/460	SSF2P10TCN61	<b>LM32854</b>	102
	1800	215TC	91.0	1.25	230/460	AF4B10TCN61	<b>LM16827</b>	149
	1800	215TC	89.5	1.25	230/460	AF4P10TCN61	<b>LM16301</b>	149
	1800	215TC	89.5	1.15	230/460	SSF4P10TCN61	<b>LM32855</b>	135
15	3600	215TC	90.2	1.15	230/460	SSF2P15TCN61	<b>LM32832</b>	125
	1800	254TC	91.7	1.25	230/460	AF4B15TCN61	<b>LM16828</b>	221
	1800	254TC	91.0	1.25	230/460	AF4P15TCN61	<b>LM16302</b>	221
20	1800	256TC	91.7	1.25	230/460	AF4B20TCN61	<b>LM16829</b>	248
	1800	256TC	91.0	1.25	230/460	AF4P20TCN61	<b>LM16303</b>	248

Product numbers in red are STOCK items.

Specifications are subject to change without notice